

Core data set populated for Somerset

The National Indicator data hub has not yet been populated. All National Indicators with values shown (those with NI in the title) are provisional entries.

Domain	Sub-domain	Sub-sub-domain	Everybody					
Demography	Population numbers	Estimates	5 year age bands and gender - 2008					
			males - number		females - number			
			Age Band	(000s)	males (%)	(000s)	females (%)	
			85+	4.8	0.9%	10.6	2.0%	
			80-84	6.7	1.3%	9.8	1.8%	
			75-79	9.7	1.8%	11.8	2.2%	
			70-74	12.1	2.3%	13	2.5%	
			65-69	14.3	2.7%	15.1	2.8%	
			60-64	18.7	3.5%	19.9	3.8%	
			55-59	17.8	3.4%	18.9	3.6%	
			50-54	16.8	3.2%	17.9	3.4%	
			45-49	18.8	3.5%	19.3	3.6%	
			40-44	19.6	3.7%	20.4	3.8%	
			35-39	16.9	3.2%	18	3.4%	
			30-34	12.5	2.4%	13	2.5%	
			25-29	12.2	2.3%	12.2	2.3%	
			20-24	13.7	2.6%	11.9	2.2%	
		15-19	18.8	3.5%	16.4	3.1%		
		10-14	17.4	3.3%	16.1	3.0%		
		5-9	14.5	2.7%	14.1	2.7%		
		0-4	13.7	2.6%	13.1	2.5%		
		All Ages	259	48.8%	271.5	51.2%		
		Projections	5 year age bands and gender - 2013					
			males - number		females - number			
			Age Band	(000s)	males (%)	(000s)	females (%)	
			85+	6	1.1%	11.8	2.1%	
			80-84	7.5	1.4%	10	1.8%	
			75-79	10.8	2.0%	12.2	2.2%	
			70-74	13.7	2.5%	14.8	2.7%	
65-69	18.8		3.4%	20.2	3.7%			
60-64	18.2		3.3%	19.6	3.6%			
55-59	17.5		3.2%	18.8	3.4%			
50-54	19.6		3.6%	20.3	3.7%			
45-49	20.5		3.7%	21.5	3.9%			
40-44	18.1	3.3%	19.5	3.5%				
35-39	14	2.5%	14.7	2.7%				
30-34	13.5	2.4%	13.9	2.5%				
25-29	13.9	2.5%	13.4	2.4%				
20-24	15	2.7%	12.6	2.3%				
15-19	18.1	3.3%	15.9	2.9%				
10-14	16.4	3.0%	15.2	2.8%				
5-9	15	2.7%	14.4	2.6%				
0-4	13.5	2.4%	12.9	2.3%				
All Ages	270.1	48.9%	281.7	51.0%				





Core data set populated for Somerset

The National Indicator data hub has not yet been populated. All National Indicators with values shown (those with NI in the title) are provisional entries.

Domain	Sub-domain	Sub-sub-domain	Everybody										
Demography	Disability		Limiting Long-term Illness 2001										
			number	crude rate									
			people aged <75	60,117	13%								
	households with at least one member with long	69,800	33%										
	Migration	Misc proxy indicators	National Insurance Number Registrations in respect of non-UK Nationals in 2006/07										
			All	Poland	Rep of Lithuania	Portugal	Slovak Rep	Philippines	India	Czech Rep	Others		
			3,230	1,740	160	150	140	110	80	70	730		
				54%	5%	5%	4%	3%	2%	2%	23%		
Social & Environmental Context	Deprivation		Index of Multiple Deprivation 2007 - Number and Percentage of LSOAs in worst 10% and 20% nationally										
			DOMAINS										
				IMD	Income	Employment	Health & Disability	Education, Skills and Training	Barriers to Housing & Services	Crime	Living Environment		
			number in worst 10% nationally	2	3	8	0	17	46	9	3		
			% of LSOAs in Somerset	0.6%	0.9%	2.4%	0.0%	5.2%	14.1%	2.8%	0.9%		
			number in worst 20% nationally	14	19	28	10	36	74	20	23		
			% of LSOAs in Somerset	4.3%	5.8%	8.6%	3.1%	11.0%	22.6%	6.1%	7.0%		
			SUB-DOMAINS										
				Income Affecting Children	Income affecting Older People	Education: Children & Young people	Education: Skills	Geographic Barriers to Housing & Services	Wider Barriers to Housing & Services	Indoors Living Environment	Outdoors Living Environment		
			number in worst 10% nationally	3	0	16	16	79	0	18	0		
	% of LSOAs in Somerset	0.9%	0.0%	4.9%	4.9%	24.2%	0.0%	5.5%	0.0%				
	number in worst 20% nationally	17	11	34	36	124	13	70	3				
	% of LSOAs in Somerset	5.2%	3.4%	10.4%	11.0%	37.9%	4.0%	21.4%	0.9%				
	Living arrangements	Housing		Housing tenure 2001									
				% privately									
households				% rented housing	rented housing	% social housing							
210,583				25.7%	7.9%	13.8%							
Overcrowding 2001													
% with inadequate													
households		space											
210,587		3.9%											
Transport			Access to Car/Van 2001										
			% households with no access to car/van					% residents with no access to car/van					
			households with no access to car/van	households	with no access to car/van	residents with no access to car/van	residents	residents	residents	residents	residents	residents	
			37,003	210,587	17.6%	54,949	495,514	11.1%					

Core data set populated for Somerset

The National Indicator data hub has not yet been populated. All National Indicators with values shown (those with NI in the title) are provisional entries.

Domain	Sub-domain	Sub-sub-domain	Everybody								
Social & Environmental Context	Economic	Employment	Overall employment rate (NI 151)								
			April 2006-March 2007	77.10%							
			Working age people on out-of-work benefits (NI 152)								
			awaiting update	8.96%							
			Working age people claiming out-of-work benefits in worst performing neighbourhoods (NI 153)								
			May-07	27.62%							
			Job seekers claimants - February 2007								
			claimants	population of working age	rate (%)						
			4,090	367,060	1.1%						
			Other	Average incomes							
	Total weekly income			Net weekly income	Net weekly income (equivalised before housing costs)	Net weekly income (equivalised after housing costs)					
	£470	£390		£350	£320						
	ONS classification of wards - Supergroup Clusters										
	Environment	Isolation	ONS classification of wards - Supergroup Clusters								
				Industrial Hinterlands	Traditional Manufacturing	Built-up Areas	Student Communities	Suburbs and Small Towns	Coastal and Countryside	Accessible Countryside	Grand Total
			Number of wards	14	4	4	1	31	65	22	141
			%	9.9%	2.8%	2.8%	0.7%	22.0%	46.1%	15.6%	
			ONS area morphology								
				Town and Fringe - Less Sparse	Town and Fringe - Sparse	Urban > 10K - Less Sparse	Urban > 10K - Sparse	Village, Hamlet & Isolated Dwellings - Less Sparse	Village, Hamlet & Isolated Dwellings - Sparse		
			Number of People	96,654	4,221	233,595	11,112	149,812	6,215	501,609	
			%	19.3%	0.8%	46.6%	2.2%	29.9%	1.2%		
			Number of Adults	77,970	3,662	187,299	9,446	122,061	5,284	405,722	
			%	19.2%	0.9%	46.2%	2.3%	30.1%	1.3%		
Number of Households			42,372	2,105	102,159	5,262	61,862	2,772	216,532		
%			19.6%	1.0%	47.2%	2.4%	28.6%	1.3%			
Geographic Barriers to Housing & Services: IMD 2007 - Number and Percentage of LSOAs in worst 10% and 20% nationally											
			Geographic Barriers to Housing & Services								
number in worst 10% nationally			46	79							
% of LSOAs in Somerset			14.1%	24.2%							
number in worst 20% nationally	74	124									
% of LSOAs in Somerset	22.6%	37.9%									

Core data set populated for Somerset

The National Indicator data hub has not yet been populated. All National Indicators with values shown (those with NI in the title) are provisional entries.

Domain	Sub-domain	Sub-sub-domain	Everybody										
Lifestyle/Risk factors	Behaviours	Smoking	Smoking prevalence - modelled by ASH - 2004										
			female smokers					male smokers					
			rate 16+ (%)	rate 16+ (%)	rate 16+ (%)	rate 16+ (%)	rate 16+ (%)	rate 16+ (%)	rate 16+ (%)	rate 16+ (%)	rate 16+ (%)	rate 16+ (%)	rate 16+ (%)
			21.1%	25.3%	24.5%	26.2%	24.5%	25.3%	24.5%	26.2%	24.5%	25.3%	24.5%
			Smoking prevalence - modelled by NHS IC 2003-2005										
			Smoking prevalence - Lifestyle survey 2002										
			rate 16+ (%)	rate 16+ (%)	rate 16+ (%)	rate 16+ (%)	rate 16+ (%)	rate 16+ (%)	rate 16+ (%)	rate 16+ (%)	rate 16+ (%)	rate 16+ (%)	rate 16+ (%)
			22.4%	22.4%	17.5%	24.1%	22.4%	22.4%	17.5%	24.1%	22.4%	22.4%	17.5%
			Smoking prevalence (MIQUEST) 2007										
			rate (%)	rate (%)	rate (%)	rate (%)	rate (%)	rate (%)	rate (%)	rate (%)	rate (%)	rate (%)	rate (%)
			16.7%	16.7%	73.6%	16.7%	16.7%	16.7%	73.6%	16.7%	16.7%	16.7%	16.7%
			Smoking quitters 2006/7										
			Self-reporting smoking quitting rate at 4 weeks per 100,000 population aged 16+										
		788											
		Premature Deaths related to smoking 2003-5											
		estimated number of deaths	death rate per 10,000	SMR (compared to SW region)	level of significance	% of wards where tobacco attributable mortality is lower than expected	% of wards where tobacco attributable mortality is lower than expected	% of wards where tobacco attributable mortality falls within expected range	% of wards where tobacco attributable mortality is higher than expected	% of wards where tobacco attributable mortality is significantly higher than expected	% of wards where tobacco attributable mortality is significantly higher than expected	% of wards where tobacco attributable mortality is significantly higher than expected	
		737	30.7	92.3%	Lower than expected	12.5%	38.2%	12.5%	34.7%	2.1%	2.1%	2.1%	
		Consumption of 5+ Fruit and Vegetables - modelled by NHS IC 2003-2005											
		rate 16+ (%)											
		25.5%											
Consumption of 5+ Fruit and Vegetables - Lifestyle survey 2002													
rate 16+ (%)	rate 16+ (%)	rate 16+ (%)	rate 16+ (%)	rate 16+ (%)	rate 16+ (%)	rate 16+ (%)	rate 16+ (%)	rate 16+ (%)	rate 16+ (%)	rate 16+ (%)			
61.0%	61.0%	66.3%	55.6%	61.0%	61.0%	66.3%	55.6%	61.0%	61.0%	61.0%			
Eating habits													

Core data set populated for Somerset

The National Indicator data hub has not yet been populated. All National Indicators with values shown (those with NI in the title) are provisional entries.

Domain	Sub-domain	Sub-sub-domain	Everybody											
Lifestyle/Risk factors	Behaviours	Alcohol	Alcohol-harm related hospital admission rates (NI 39) 2006/7											
			number	rate per 100,000										
			9,441	1,389										
			Binge drinking prevalence - modelled by NHS IC 2003-2005											
												rate 16+ (%)		
												14.7%		
		Unsafe drinking prevalence - Lifestyle survey 2002												
					male rate (%)	female rate (%)			rate 16+ (%)					
					12.0%	3.2%			8.2%					
			Physical Activity	Physical Activity prevalence - Active People Survey 2006										
			At least 3 days a week	0 days a week										
			21.8%	51.4%										
	Other	Hypertension	Hypertension prevalence 2006 - modelled using Health Survey for England 2003, 2004											
			rate (%)											
			27.0%											
			Hypertension prevalence (QOF register) 2007											
				number on registers	rate (%)									
				78,816	15.0%									
		Obesity	Obesity prevalence - modelled by NHS IC 2003-2005											
									rate 16+ (%)					
									24.0%					
Obesity prevalence - Lifestyle survey 2002														
									rate 16+ (%)					
									13.5%					
Burden of ill-health and disability	Miscellaneous	All Causes	All-age All-Cause Mortality (NI 120)											
			Not yet available											
			All-age All-Cause Mortality rate and Standardised Mortality Ratio 2004-6											
					males - number of deaths	males - rate per 100,000	males - SMR	females - number of deaths	females - rate per 100,000	females - SMR	persons - number of deaths	persons - rate per 100,000	persons - SMR	
					All-ages All-causes	7,671	653.3	89%	8,775	457.2	91%	16,446	543.8	90%
			Life expectancy 2004-6											
					Local Authority	Male	Female							
					Mendip	78.1	82.4							
					Sedgemoor	78.1	82.7							
					South Somerset	79.1	82.8							
		Taunton Deane	78.2	82.9										
		West Somerset	79.2	83.7										

Core data set populated for Somerset

The National Indicator data hub has not yet been populated. All National Indicators with values shown (those with NI in the title) are provisional entries.

Domain	Sub-domain	Sub-sub-domain	Everybody							
Burden of ill-health and disability	Miscellaneous	All Causes	Main Causes of death (top 10) 2002-6							
			condition	ICD10 code	deaths	% of all deaths				
			Chronic ischaemic heart disease	I25	3,069	11.0%				
			Acute myocardial infarction	I21	1,794	6.4%				
			Pneumonia, organism unspecified	J18	1,578	5.6%				
			Stroke, not specified as haemorrhage or infarction	I64	1,526	5.5%				
			Malignant neoplasm of bronchus and lung	C34	1,172	4.2%				
			Other chronic obstructive pulmonary disease	J44	1,017	3.6%				
			Senility	R54	752	2.7%				
			Unspecified dementia	F03	700	2.5%				
			Malignant neoplasm of breast	C50	621	2.2%				
			Malignant neoplasm of colon	C18	611	2.2%				
			Main Causes of Admission to hospital (top 10 known causes) 2006/7							
		condition	ICD10 code	admissions	% of all admissions					
		Abdominal and pelvic pain	R10	3,611	2.7%					
		Other cataract	H26	3,584	2.7%					
		Liveborn infants according to places of birth	Z38	3,159	2.4%					
		Pain in throat and chest	R07	2,363	1.8%					
		Maternal care for other conditions predominantly related to pregnancy	O26	2,161	1.6%					
		Chronic ischaemic heart disease	I25	1,570	1.2%					
		Malignant neoplasm of breast	C50	1,454	1.1%					
		Gonarthrosis [arthrosis of knee]	M17	1,385	1.1%					
		Malignant neoplasm of colon	C18	1,295	1.0%					
Coxarthrosis [arthrosis of hip]	M16	1,209	0.9%							
Other diseases of anus and rectum	K62	1,209	0.9%							
Self reported measure of overall health and wellbeing (NI 119)										
Not yet available										
Self assessed health status 2001										
		number	crude rate							
	good health	340,208	68%							
	fair health	116,247	23%							
	not good health	41,638	8%							
Causes considered amenable to healthcare	Mortality from causes amenable to healthcare (including CHD) 2004-6									
		males - number of deaths	males - rate per 100,000	males - SMR	females - number of deaths	females - rate per 100,000	females - SMR	persons - number of deaths	persons - rate per 100,000	persons - SMR
		Causes amenable to healthcare	960	106.5	79%	707	74.8	83%	1,667	90.1

Core data set populated for Somerset

The National Indicator data hub has not yet been populated. All National Indicators with values shown (those with NI in the title) are provisional entries.

Domain	Sub-domain	Sub-sub-domain	Everybody												
Burden of ill-health and disability	Diabetes	General	Diabetes prevalence (Type I and Type II) - modelled by Yorkshire and Humberside PHO 2005												
			Males - number	Males - rate (%)	Females - number	Females - rate (%)	Persons - number	Persons - rate (%)							
			9,834	3.92%	14,712	5.56%	24,546	4.76%							
			Diabetes prevalence (QOF register) 2007												
					number on registers	crude rate (%)			implied proportion of true cases undiagnosed						
					19,216	3.66%			23.12%						
			Hospital admissions for Diabetes 2005/6 - 2006/7												
					number	rate per 100,000									
					1,082	86.2									
			Circulatory	General	Mortality from all circulatory diseases under 75 (NI 121)										
	Not yet available														
	Mortality from All Circulatory Diseases under 75 2004-6														
					males - number of deaths	males - rate per 100,000	males - SMR	females - number of deaths	females - rate per 100,000	females - SMR	persons - number of deaths	persons - rate per 100,000	persons - SMR		
					All circulatory disease	878	95.2	80%	365	36.0	69%	1,243	64.6	77%	
	CHD	Mortality from Coronary Heart Disease 2004-6													
					males - number of deaths	males - rate per 100,000	males - SMR	females - number of deaths	females - rate per 100,000	females - SMR	persons - number of deaths	persons - rate per 100,000	persons - SMR		
					Coronary Heart Disease	1,561	126.8	90%	1,172	52.6	83%	2,733	84.8	87%	
		Coronary Heart Disease prevalence (modelled using Health Survey for England 2003) 2006													
					rate (%)										
				5.2%											
		Coronary Heart Disease prevalence (QOF register) 2007													
				number on registers	rate (%)										
				20,853	4.0%										
	Hospital admissions for Myocardial Infarctions (proxy from incidence) 2005/6 - 2006/7														
				number	rate per 100,000										
				976	57.9										
	Hospital admissions for Cardiac Revascularisation 2005/6 - 2006/7														
		number	rate per 100,000												
		1,463	101.5												
Stroke	Mortality from Stroke 2004-6														
			males - number of deaths	males - rate per 100,000	males - SMR	females - number of deaths	females - rate per 100,000	females - SMR	persons - number of deaths	persons - rate per 100,000	persons - SMR				
			stroke	645	50.6	91%	1,103	47.0	96%	1,748	49.0	94%			
	Hospital admissions for Stroke (proxy for incidence) 2005/6 - 2006/7														
		number	rate per 100,000												
		2,581	137.1												

Core data set populated for Somerset

The National Indicator data hub has not yet been populated. All National Indicators with values shown (those with NI in the title) are provisional entries.

Domain	Sub-domain	Sub-sub-domain	Everybody									
Burden of ill-health and disability	Cancer	General	Mortality from all Cancers under 75 (NI 122)									
			Not yet available									
			Mortality from all Cancers under 75 2004-6									
			males - number of deaths	males - rate per 100,000	males - SMR	females - number of deaths	females - rate per 100,000	females - SMR	persons - number of deaths	persons - rate per 100,000	persons - SMR	
		all cancers	1,020	112.5	85%	965	100.7	96%	1,985	106.4	90%	
			Standardised Registration Ratios for selected cancers : 2002-2004									
			site	males - number	males - rate per 100,000	males - SRR	females - number	females - rate per 100,000	females - SRR	persons - number	persons - rate per 100,000	persons - SRR
			All cancers	4,108	389.5	96.3%	4,357	364.1	105.0%	8,465	370.9	100.6%
			All skin cancers	1,961	183.2	158.5%	1,737	135.3	160.3%	3,698	155.2	159.4%
			Malignant Melanoma	170	18.5	160.3%	207	20.3	159.5%	377	19.4	159.8%
		Other Skin Cancers	1,791	164.7	158.3%	1,530	115.0	160.5%	3,321	135.8	159.3%	
		Bladder Cancer	213	19.0	95.0%	88	5.9	97.9%	301	11.7	95.8%	
		Breast Cancer				1,415	131.5	110.4%				
		Cervical Cancer				87	9.7	119.2%				
		Colorectal Cancer	620	57.3	103.8%	595	42.0	117.8%	1,215	48.8	110.2%	
		Lung Cancer	455	40.9	67.4%	317	23.1	69.5%	772	30.9	68.2%	
		Oesophageal cancer	155	14.2	105.7%	74	5.2	88.2%	229	9.3	99.3%	
		Prostate Cancer	1,097	98.6	103.5%							
		Stomach Cancer	133	11.8	80.3%	77	4.5	82.3%	210	7.7	81.0%	
		Infectious	Respiratory	Mortality from Bronchitis, Emphysema and COPD 2004-6								
	males - number of deaths			males - rate per 100,000	males - SMR	females - number of deaths	females - rate per 100,000	females - SMR	persons - number of deaths	persons - rate per 100,000	persons - SMR	
	Bronchitis, Emphysema and COPD			367	28.1	80%	282	14.8	71%	649	19.9	76%
	COPD 15+ (modelled using Health Survey for England 2001) 2005											
				male - rate (%)			female - rate (%)			rate (%)		
				3.4%			2.0%			2.7%		
	COPD (QOF register) 2007											
							number on registers (all ages)		all ages rate (%)		estimate of 15+ rate (%)	
							7,976		1.5%		1.9%	
	TB notifications 2006											
			number		rate per 100,000							
			10		1.9							

